

## GENERAL PRODUCT INDEX

90° Polarization Rotators . . . . .	90	Multiple-Order Quartz Waveplates. . . . .	86
Achromats . . . . .	77, 78	Nd:YAGNdYLF Laser Mirrors. . . . .	10, 13
Air-spaced Laser Doublets. . . . .	80	Neutral Density Filters . . . . .	153
Antir-reflection Coated Windows. . . . .	93	Non-Polarizing Beamsplitters . . . . .	110
Aplanats. . . . .	80, 81	Partial Reflection Mirrors . . . . .	6, 102
Aspheric Glass Condenser Lenses . . . . .	61	Pellin Broca Prisms . . . . .	148
Bandpass Interference Filters . . . . .	151, 152	Plano-Concave Cylindrical Lenses . . . . .	64
Beamsplitter Cubes . . . . .	100	Plano-Concave Spherical Lenses . . . . .	34
Beamsplitters Non-Polarizing . . . . .	110	Plano-Convex Cylindrical Lenses . . . . .	64
Beamsplitters Plates. . . . .	100	Plano-Convex Spherical Lenses . . . . .	34
Bestform Lenses . . . . .	53	Polarization Rotators . . . . .	90
Bi-Concave Spherical Lenses. . . . .	51, 52	Polarizing Cube Beamsplitters . . . . .	120
Bi-Convex Spherical Lenses. . . . .	49, 50, 55	Polarizing Plate Beamsplitters. . . . .	129, 130
Broadband Hybrid Cube Beamsplitters . . . . .	116	Positive Bestform Lenses . . . . .	53
Calcium Fluoride (CaF <sub>2</sub> ) lenses . . . . .	42	Quarter-Waveplates . . . . .	86, 88
Cemented Doublets. . . . .	77, 78, 81	Retardation Plates . . . . .	84
Compound Zero-Order Quartz Waveplates . . . . .	88	Right Angle Prisms . . . . .	146
Condenser Lenses, Aspheric. . . . .	61	Short Wave Pass Dichroic Plate Beamsplitters. . . . .	109
Continuously Variable Beamsplitters . . . . .	117	Spherical Lenses. . . . .	33
Cylindrical Lenses. . . . .	63	Symmetric Concave Spherical Lenses . . . . .	49, 50, 60
Diode Laser Glass Doublets . . . . .	81	Symmetric Convex Spherical Lenses . . . . .	51, 52
Doublets . . . . .	77, 78, 80, 81	Thin-Film Plate Polarizers, 45° . . . . .	130
Dual-Wavelength Quartz Waveplates. . . . .	85	Thin-Film Plate Polarizers, 56° . . . . .	129
Excimer Laser Mirrors. . . . .	9	Ti:Sapphire Mirrors. . . . .	17
Femtosecond Beamsplitters . . . . .	140	Waveplates . . . . .	83
Femtosecond Cube Polarizer . . . . .	141	Wedge Windows . . . . .	96
Femtosecond Mirrors. . . . .	17, 133	Window Substrates. . . . .	92
Half-Wave plates. . . . .	86, 88	Zero-Order Quartz Waveplates. . . . .	88
Harmonic Separators . . . . .	106		
Laser Aplanats. . . . .	80		
Long Wave Pass Dichroic Plate Beamsplitters. . . . .	108		
Metal Coated Mirrors. . . . .	4		
Metallic Neutral Density Filters. . . . .	153		
Mirror Substrates . . . . .	4		
Mirrors, Broadband . . . . .	18, 19		
Mirrors, Laser-Line . . . . .	4		
Multielement Lenses . . . . .	75		

## PRODUCT CODE INDEX

ABSO.....	117	P180.....	147	TFPN.....	130
ARF.....	9	P90.....	147	TLM1.....	8, 135
BBS.....	104	PAUV.....	22	TLM2.....	18, 136
BFPL-UV.....	53	PAV.....	23	TLMB.....	17, 134
BICC-C.....	52	PBS.....	112, 123	TLMW.....	133
BICC-UV.....	51	PBSH.....	115, 127	UPBS.....	111, 122
BICX-C.....	50	PBSI.....	114, 126	VUVA.....	20
BICX-UV.....	49	PBSK.....	128, 141	W1, W2.....	93
BS1.....	102	PBSO.....	113, 124	Y1, Y2.....	137
BSC.....	116	PG.....	26, 139	Y1, Y2, Y3, Y4.....	10
BSNP.....	110	PLBC.....	148	Y5.....	12
BSR.....	106	PLCC-C.....	46	Y1S, Y2S, Y3S, Y4S.....	13
BTF.....	105	PLCC-SF11.....	48	YH.....	16
CLCC-UV.....	73	PLCC-UV.....	44		
CLCX-UV.....	69	PLCX-C.....	39		
DUVA.....	21	PLCX-CFUV.....	42		
EAV.....	24	PLCX-SF11.....	43		
F-NIR.....	152	PLCX-UV.....	35		
F-UV.....	151	PM-C.....	29		
F-VIS.....	151	PM-UV.....	29		
FABS.....	140	PR1.....	6		
FLM.....	14	PS.....	25, 138		
FSQ.....	154	PW1.....	94		
HM.....	15	QWPD.....	85		
IF.....	96	QWPM.....	86		
KRF.....	9	QWPO.....	88		
LAG-C.....	61	RAP-C, RAP-UV.....	146		
LAI.....	81	RCC-UV.....	70		
LAL.....	77	RCX-UV.....	65		
LAO.....	78	RW-UV.....	31		
LAPQ.....	80	RT.....	90		
LDX-C.....	60	RW.....	95		
LPK-C.....	58	RW-UV.....	31		
LPX-C.....	55	SCC-C.....	71		
LUK-UV.....	57	SCC-UV.....	72		
LUP-UV.....	54	SCX-C.....	66		
LW-UV, LW-C.....	97	SCX-UV.....	67		
LWP.....	108	SMCC-UV, SMCC-C.....	28		
MPQ.....	19	SMCX-UV.....	27		
NDQ.....	154	SQM-UV, SQM-C.....	30		
NDQS.....	154	SWP.....	109		
NDS.....	154	TFP.....	129		

## TECHNICAL GUIDE INDEX

- A**
- Absentee Layer . . . . . T-16
  - Absorption . . . . . T-21
  - Amorphous Phase . . . . . T-12
  - Antireflection Coatings . . . . . T-10, T-17, T-31-37
    - Multilayer
      - Absentee Layer . . . . . T-16
      - Broadband Antireflection Coatings . . . . . T-16
      - Quarter/Quarter Coating . . . . . T-15
      - Two-Layer Coatings . . . . . T-15, T-16
      - V-Coatings . . . . . T-15, T-31
    - Single-Layer
      - Angle of Incidence . . . . . T-12
      - Coating Formulas . . . . . T-12
      - Coated Surface Reflectance
        - at Normal Incidence . . . . . T-13, T-14
        - Oblique Incidence . . . . . T-13, T-14
      - Film Thickness . . . . . T-10
      - Magnesium Fluoride . . . . . T-10, T-11
      - Refractive Index . . . . . T-10
      - Wavelength Dependence . . . . . T-12
  - Average Reflectance . . . . . T-14
- B**
- BaK1 (N-BaK1) . . . . . T-55
  - Beams
    - Reflected . . . . . T-5
    - Transmitted . . . . . T-5, T-9
  - BK7 (N-BK7) . . . . . T-55
  - Brewster's Angle . . . . . T-6
  - Broadband Antireflection Coatings *see Antireflection Coatings, Multilayer, Broadband*
- C**
- CaF2 . . . . . T-50
  - Calcium Fluoride . . . . . T-50
  - Cemented Interface . . . . . T-64
  - Centration . . . . . T-61
  - Centration Error . . . . . T-61
  - Chemical Characteristics . . . . . T-44
  - Coated Surface Reflectance
    - Normal Incidence . . . . . T-13, T-14
    - Oblique Incidence . . . . . T-13, T-14
  - Coating
    - Antireflection
      - see Antireflection Coatings*
    - Broadband . . . . . T-20
    - Broadband Antireflection (BBAR) . . . . . T-32-36
    - Damage Threshold . . . . . T-23
      - Design . . . . . T-10-22
    - Dispersion Formula . . . . . T-12
    - Double-V Antireflection . . . . . T-31
    - Formulas . . . . . T-12
    - High-Reflection . . . . . T-18-21
    - Interference, Theory of . . . . . T-7-9
    - Magnesium Fluoride . . . . . T-10, T-11
    - Metallic . . . . . T-21
    - Multilayer . . . . . T-15-17
    - Partially Transmitting . . . . . T-21
    - Quarter/Quarter . . . . . T-15
    - Quarterwave Stack . . . . . T-20
    - Reflectance, Theory of . . . . . T-5, T-9
    - Scattering . . . . . T-18, T-19
    - Single-Layer MgF2 . . . . . T-10, T-11
    - Thickness . . . . . T-8, T-9
    - Triple-V Antireflection . . . . . T-31
    - Ultrafast Coating (TLMB) . . . . . T-30
    - V-Type AR coating . . . . . T-30
    - Wavelength Dependence . . . . . T-12
  - Coating Defect . . . . . T-64
  - Constructive Interference . . . . . T-7
  - Cosmetic Surface Quality
    - Bevel . . . . . T-64
    - Cemented Interface . . . . . T-64
    - Coating Defect . . . . . T-64
    - Edge Chips . . . . . T-64
    - Scratch . . . . . T-63
    - Scratch-and-Dig Designation . . . . . T-63, T-64
  - Cost Optical Materials . . . . . T-44
  - Critical Angle . . . . . T-7
  - Crown Glass . . . . . T-57
  - Crystal Quartz . . . . . T-54

<b>D</b>		<b>I</b>	
Destructive Interference.....	T-7	Incidence	
Dielectric		Angle of.....	T-5, T-12
Boundary.....	T-5, T-9	Grazing.....	T-6, T-7
Media.....	T-5	Normal.....	T-13
Dig.....	T-64	Oblique.....	T-13, T-14
Dispersion		Intensity, Reflection of Light.....	T-5
Optical Materials		Interference	
Single-Layer Antireflection Coatings.....	T-45, T-46	Constructive.....	T-7, T-8
<b>E</b>		Destructive.....	T-7, T-8
Edge Chips.....	T-64	Effects.....	T-7, T-8
Equivalent Vacuum Thickness.....	T-8, T-9	Thin-Film.....	T-8, T-9
External Reflection.....	T-5, T-6	Interference Filters.....	T-21
		Internal Reflection.....	T-7
<b>F</b>		Irregularity.....	T-62
F2, Schott Glass Type.....	T-55	<b>J</b>	
Five Schott Glass Types.....	T-55	<b>K</b>	
Fresnel		<b>L</b>	
Formula.....	T-45	Laser-Induced Damage.....	T-23
Laws of Reflection.....	T-6	LaSFN9.....	T-55
Fused Silica.....	T-51	Law of Reflection.....	T-5-7
		Lorentz-Lorenz Formulas.....	T-12
<b>G</b>		<b>M</b>	
Ghost Images.....	T-4	Magnesium Fluoride	
Glasses, High-Index.....	T-55	Coating Material.....	T-10
		Material Properties Overview.....	T-58
<b>H</b>		Materials	
High-Index Material.....	T-55	Calcium Fluoride.....	T-50
High-Reflectance Coatings.....	T-18-22	Crystal Quartz.....	T-54
Broadband.....	T-20	Optical Crown Glass.....	T-57
Dielectric.....	T-18-21	Index of Refraction.....	T-44
Interference Filters.....	T-21	Lead Free.....	T-49
Metallic.....	T-21	Mechanical and Chemical Properties	
Partially Transmitting.....	T-21	Acid Resistance.....	T-47
Performance Curve.....	T-18	Alkali and Phosphate Resistance.....	T-47
Polarization Effects.....	T-20	Climatic Resistance.....	T-47
Scattering.....	T-18	Microhardness.....	T-47
Homogeneity.....	T-46	Stain Resistance.....	T-47

- Optical Properties
- Homogeneity ..... T-46
  - Refractive Index and Dispersion ..... T-45, T-46
  - Stress Birefringence ..... T-46
  - Striae Grade ..... T-46
  - Transmission ..... T-45
  - Schott Glass, BaK1 (N-BaK1) ..... T-55
  - Schott Glass, BK7 (N-BK7) ..... T-55
  - Schott Glass, F2 ..... T-55
  - Schott Glass, LaSFN9 ..... T-55
  - Schott Glass, SF11 ..... T-55
  - Suprasil 1 ..... T-53
  - UV-grade Synthetic Fused Silica ..... T-51
  - Thermal Characteristics ..... T-44
  - Thermal Expansion ..... T-44
  - Transmission ..... T-45
- Mechanical and Chemical Properties, Optical Materials
- Acid Resistance ..... T-47
  - Alkali Resistance ..... T-47
  - Climatic Resistance ..... T-47
  - Microhardness ..... T-47
  - Stain Resistance ..... T-47
- MgF2 Coating  
see *Antireflection Coatings, Single-Layer*
- Multilayer Antireflection Coatings ..... T-15
- Absentee Layers ..... T-16, T-17
  - Broadband Antireflection Coatings ..... T-16
  - The Quarter/Quarter Coating ..... T-15
  - Two-Layer Coatings of Arbitrary Thickness ..... T-16, T-17
- N**
- N-BaK1 ..... T-55
  - N-BK7 ..... T-55
  - Newton's Rings ..... T-8
- O**
- OEM and Special Coatings ..... T-24
  - Optical Coatings ..... T-4
  - Optical Crown Glass ..... T-57
- Optical Specifications
- Centration
    - Measuring ..... T-60
  - Cosmetic Surface Quality
    - Bevels ..... T-64
    - Cemented Interfaces ..... T-64
    - Coating Defects ..... T-64
    - Digs ..... T-64
    - Edge Chips ..... T-64
    - Scratches ..... T-63
    - Specification Standards ..... T-63
    - US Military Specifications ..... T-63, T-64
  - Surface Accuracy
    - Power and Irregularity ..... T-62
    - Surface Flatness ..... T-62
  - Wavefront Distortion Interferometer
    - Measurements ..... T-61
    - Optical Thickness ..... T-8, T-9
- P**
- Phase Difference ..... T-7, T-10, T-14
  - Phase Shift ..... T-7, T-10
  - Physical Thickness ..... T-8
  - Power, Surface Accuracy ..... T-62
  - p-Polarized Components ..... T-14, T-20
- R**
- Rays Extraordinary ..... T-12
  - Rays Ordinary ..... T-12
  - Reflection External ..... T-5, T-6
  - Reflection Internal ..... T-7-8
  - Reflection of Light
    - External Reflection ..... T-5, T-6
    - Incidence Angle ..... T-5
    - Intensity ..... T-5
    - Interference ..... T-7-9
    - Internal Reflection ..... T-7, T-8
    - Phase Changes ..... T-7
    - Reflection at Dielectric Boundary
      - External ..... T-5, T-6
      - Internal ..... T-7, T-8

Reflection at Uncoated Surfaces . . . . .	T-5	U	
Thin-Film Interference . . . . .	T-8, T-9	UV-grade Synthetic Fused Silica . . . . .	T-51
Refractive Index . . . . .	T-10	V	
S		V-Coatings	<i>see Antireflection Coatings, Multilayer, V-Coatings</i>
Scattering . . . . .	T-18, T-19	W	
Scratch . . . . .	T-63	Wavefront Distortion . . . . .	T-61
Scratch-and-Dig Designations . . . . .	T-63, T-64	X	
SF11 . . . . .	T-55	Y	
Single-Interface Amplitude Reflectance . . . . .	T-14	Z	
Single-Layer Antireflection Coatings . . . . .	T-10, T-14		
Angle of Incidence . . . . .	T-12		
Coated Surface Reflectance			
at Normal Incidence . . . . .	T-13		
Coated Surface Reflectance			
at Oblique Incidence . . . . .	T-13, T-14		
Coating Dispersion Formula . . . . .	T-12		
Coating Formulas . . . . .	T-12		
Film Thickness . . . . .	T-10		
Magnesium Fluoride . . . . .	T-10-12		
Refractive Index . . . . .	T-10		
Wavelength Dependence . . . . .	T-12		
Snell's Law . . . . .	T-9		
s-Polarized Components . . . . .	T-14, T-20		
Suprasil 1 . . . . .	T-53		
Surface Accuracy			
Power and Irregularity . . . . .	T-62		
Surface Flatness . . . . .	T-62		
Surface Flatness . . . . .	T-62		
Surface Quality, Cosmetic . . . . .	T-63, T-64		
T			
Thin Films . . . . .	T-8, T-9		
Thin-Film Interference . . . . .	T-7-9		
Total Internal Reflection . . . . .	T-7		
Transmitted Energy . . . . .	T-10		
Two-Layer Antireflection Coatings . . . . .	T-15, T-16		